

Haier Biomedical

Intelligent Protection of Life Science

Pharmacy Refrigerators HYC-118A



**Air Cooling,
Auto Defrost**
Better cabinet temperature
uniformity, auto defrost



**Five Alarm
Functions**
High/low temperature,
power failure, door ajar,
sensor error, low battery



**Audible and
Visual Alarms**
Audible buzzer and visible
flashing light

Ergonomic Design



High Accuracy
Temperature Control



Interior
LED



Lockable
Design

Specifications

HYC-118A

Technical Data

Cabinet Type	Upright, glass door
Climate Class	N
Cooling Type	Forced air cooling
Defrost Mode	Auto
Refrigerant	CFC-Free
Noise((dB(A))	32

Performance

Temp Range(°C)	2~8
----------------	-----

Control

Controller	Microprocessor
Display	LED

Electrical Data

Power Supply(V/Hz)	220-240/50	115/60
Power(W)	165	140
Electrical Current(A)	1.16	1.46

Dimensions

Capacity(L/Cu.Ft)	118/4.2
Net/Gross Weight(approx)	46/51(kg) 101.4/112.4(lbs)
Interior Dimensions(W*D*H)	515*415*630(mm) 20.3*16.3*24.8(in)
Exterior Dimensions(W*D*H)	597*635*835(mm) 23.5*25.0*32.9(in)
Packing Dimensions(W*D*H)	680*690*910(mm) 26.8*27.2*35.8(in)
Container Load(20'/40'/40'H)	48/102/102



Functions

High/Low Temp	Y
Power Failure	Y
Sensor Error	Y
Low Battery	Y
Door Ajar	Y
Remote System	Y

Accessories

Caster	Y
Foot	Y
Test Hole	Y
Shelves /Basket	3/1

Others

Certificate	CE,UL
-------------	-------

Haier Biomedical UK

Address: 2 Birch House, Brambleside, Bellbrook
Industrial Estate, Uckfield, East Sussex,
TN22 1QQ, United Kingdom
TEL: +44(0) 1825 744 696 (Head Office)
www.haierbiomedical.co.uk



Note: If slight difference occurs between pictures and actual products, please refer to actual products. Our company reserves the right of final interpretation to this brochure and please contact with us for further information you might need.



Scan 2D barcode with your mobile device to learn more information about Haier Biomedical